



Kitemark™ Certificate

This is to certify that: Kaliber Marketing (Holdings) Limited

T/A Kat UK

Unit 4 Newhaven Industrial

Beach Road Newhaven BN9 0BX

United Kingdom

Holds Certificate Number: KM 651915

In respect of:

BS 4873 Aluminium Window Fabricator

This issues the right and licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Certificate shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Certificate provided at or from the above address.

For and on behalf of BSI: Chris Lewis - Certification Director, Product Certification

First Issued: 2017-10-23 Effective Date: 2017-10-23 Latest Issue: 2017-10-23 Expiry Date: 2020-10-22

Page: 1 of 3

...making excellence a habit.™





This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

Kitemark™ Certificate

No. KM 651915

BS 4873: 2009 Aluminium alloy windows and doorsets.

This Certificate covers the fabrication of windows from the range of profiles and components supplied by Schueco GB Ltd..

AWS 70 HI, AWS 70 SL HI Range

Fabrication and Fabricated and installed in accordance with the latest issue(s) of the following

installation: Schueco UK Ltd controlled manual(s):

AWS 70 HI, AWS 70 SL HI Window Fabrication Manual

System description: The windows are double glazed, internally beaded, multipoint locking, with cleated

and crimped joints.

Ventilation: None

Window types: Tilt/turn windows

Fixed windows

Size Limitations and Performance Characteristics

Window Type	Length (mm) Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009			
Sash dimensions for windows with approved sash profiles:											
Tilt before Turn	1700	2100	-	_	-	-	-	2000			
Turn before Tilt	1000	2500	-	-	-	-	-	2000			
Turn Only	1000	2500	_	-	-	-	-	2000			
Overall dimensions for windows with approved outer frame profiles:											
Fixeds	1635	2500	-	-	-	-	-	2000			

First Issued: 2017-10-23 Effective Date: 2017-10-23 Latest Issue: 2017-10-23 Expiry Date: 2020-10-22

Page: 2 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.

Kitemark™ Certificate

No. KM 651915

BS 4873: 2009 Aluminium alloy windows and doorsets.

This Certificate covers the fabrication of windows from the range of profiles and components supplied by Schueco UK Ltd..

AWS 70 HI.BS Range

Fabrication and installation:

Fabricated and installed in accordance with the latest issue(s) of the following

Schueco UK Ltd controlled manual(s):

AWS 70 HI.BS Window Fabrication Manual

System description: The windows are double glazed, internally beaded, multipoint locking, with cleated

and crimped joints.

Ventilation: None

Window types: Tilt/turn windows

Fixed windows

Size Limitations and Performance Characteristics

Window Type	Length (mm) Maximum	Height (mm) - Maximum	Perimeter (mm) - Maximum	Transom/Mullion Length (mm) inc frame - Maximum	Air Permeability classification	Watertightness classification	Resistance to Wind classification	Exposure category as given in Table 1 of BS 6375-1:2009		
Sash dimensions for windows with approved sash profiles:										
Tilt before Turn	1700	2100	-	-	-	-	-	1600		
Turn before Tilt	1000	2500	-	-	-	-	-	1600		
Turn Only	1000	2500	-	-	-	-	-	1600		
Overall dimensions for windows with approved outer frame profiles:										
Fixeds	1635	2500	-	-	-	-	-	1600		

First Issued: 2017-10-23 Effective Date: 2017-10-23 Latest Issue: 2017-10-23 Expiry Date: 2020-10-22

Page: 3 of 3

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.

To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated online.